

ANNEXURE AFRPPMGRCC



STAINLESS CLIPS SECTION



ANNEXURE TO AFRPPMGRC



STAINLESS CLIPS SECTION

ANNEXURE TO AFRPPMGRC


Table of Contents

TYPE “M” HOLD DOWN CLIPS	3
TYPE “C” HOLD DOWN CLIPS	4
TYPE “G” HOLD DOWN CLIPS	5
TYPE “J” HOLD DOWN CLIPS	6
TYPE ROUND COVER.....	7
SQUARE COVER.....	8
GENERAL NOTES	9

STAINLESS CLIPS SECTION

ANNEXURE TO AFRPPMGRC

TYPE “M” HOLD DOWN CLIPS



Product Code (Grating Thickness)	Material Code	
	SS316	SS304
AFRPMGRM1 (1" – 25.4 mm)	STOCK	NON STOCK
AFRPMGRM1.5 (1.5" – 38.1 mm)	STOCK	NON STOCK
AFRPMGRM2 (2" – 50.4 mm)	STOCK	NON STOCK
AFRPMGRM1G (1" – 25.4 mm)	STOCK	NON STOCK
AFRPMGRM1.5G (1.5" – 38.1 mm)	STOCK	NON STOCK
AFRPMGRM2G (2" – 50.4 mm)	STOCK	NON STOCK

Suffix G at the end of the code applies for clips to suit Gritted Top Gratings


Ordering product code = Product code followed by Material code (eg: AFRPMGRM2SS316)

ARGOS FRP recommends the use of SS316 clips to its gratings. SS304 clips however could be supplied if required. NON STOCK items could be supplied in 2-3 weeks lead-time.

STAINLESS CLIPS SECTION

ANNEXURE TO AFRPPMGRC

TYPE “C” HOLD DOWN CLIPS



Product Code (Grating Thickness)	Material Code	
	SS316	SS304
AFRPMGRC1 (1" – 25.4 mm)	NON STOCK	NON STOCK
AFRPMGRC1.5 (1.5" – 38.1 mm)	NON STOCK	NON STOCK
AFRPMGRC2 (2" – 50.4 mm)	NON STOCK	NON STOCK


Ordering product code = Product code followed by Material code (eg: AFRPMGRC2SS316)

ARGOS FRP recommends the use of SS316 clips to its gratings. SS304 clips however could be supplied if required. NON STOCK items could be supplied in 2-3 weeks lead-time.

STAINLESS CLIPS SECTION

ANNEXURE TO AFRPPMGRC

TYPE “G” HOLD DOWN CLIPS



Product Code (Grating Thickness)	Material Code	
	SS316	SS304
AFRPMGRG1 (1" – 25.4 mm)	NON STOCK	NON STOCK
AFRPMGRG1.5 (1.5" – 38.1 mm)	NON STOCK	NON STOCK
AFRPMGRG2 (2" – 50.4 mm)	NON STOCK	NON STOCK

Ordering product code = Product code followed by Material code (eg: AFRPMGRG2SS316)

ARGOS FRP recommends the use of SS316 clips to its gratings. SS304 clips however could be supplied if required. NON STOCK items could be supplied in 2-3 weeks lead-time.

STAINLESS CLIPS SECTION

ANNEXURE TO AFRPPMGRC

TYPE “J” HOLD DOWN CLIPS



Product Code (Grating Thickness)	Material Code	
	SS316	SS304
AFRPMGRJ1 (1" – 25.4 mm)	NON STOCK	NON STOCK
AFRPMGRJ1.5 (1.5" – 38.1 mm)	NON STOCK	NON STOCK
AFRPMGRJ2 (2" – 50.4 mm)	NON STOCK	NON STOCK

Ordering product code = Product code followed by Material code (eg: AFRPMGRJ2SS316)

ARGOS FRP recommends the use of SS316 clips to its gratings. SS304 clips however could be supplied if required. NON STOCK items could be supplied in 2-3 weeks lead-time.

STAINLESS CLIPS SECTION

ANNEXURE TO AFRPPMGRC

TYPE ROUND COVER



Product Code (Diameter)	Material Code	
	SS316	SS304
AFRPMGRRC30 (1.181" – 30 mm)	NON STOCK	NON STOCK
AFRPMGRRC40 (1.575" – 40 mm)	NON STOCK	NON STOCK
AFRPMGRRC45 (1.771" – 45 mm)	NON STOCK	NON STOCK
AFRPMGRRC70 (2.756" – 70 mm)	NON STOCK	NON STOCK

Ordering product code = Product code followed by Material code (eg: AFRPMGRRC45SS316)

ARGOS FRP recommends the use of SS316 clips to its gratings. SS304 clips however could be supplied if required. NON STOCK items could be supplied in 2-3 weeks lead-time.

STAINLESS CLIPS SECTION

ANNEXURE TO AFRPPMGRC

SQUARE COVER



Product Code (Diameter)	Material Code	
	SS316	SS304
AFRPMGRSQ30 (1.181" – 30 mm)	NON STOCK	NON STOCK
AFRPMGRSQ40 (1.575" – 40 mm)	NON STOCK	NON STOCK
AFRPMGRSQ45 (1.771" – 45 mm)	NON STOCK	NON STOCK
AFRPMGRSQ70 (2.756" – 70 mm)	NON STOCK	NON STOCK

Ordering product code = Product code followed by Material code (eg: AFRPMGRSQ45SS316)

ARGOS FRP recommends the use of SS316 clips to its gratings. SS304 clips however could be supplied if required. NON STOCK items could be supplied in 2-3 weeks lead-time.

STAINLESS CLIPS SECTION

ANNEXURE TO AFRPPMGRC

GENERAL NOTES

1. ARGOS FRP offers specially-designed attachments and clips, both to fasten panels together and to secure them to support structures. All types are made of Stainless Steel 316 or 304
2. Clips are available in 1", 1-1/2" and 2" sizes. Install clips a maximum of every 48" and use at least four clips per piece of grating (at least eight clips per 4' x 12' panel)
3. Custom Clips & other clips could be supplied upon request. Clips to suit Pultruded Gratings are also available.

ARGOS FRP PTY LTD
26 HOWE STREET
OSBORNE PARK
WA 6017
AUSTRALIA

info@argosfrp.com.au (or) yokesh@argosfrp.com.au www.argosfrp.com.au
Phone: 08 6363 5894
Mobile: 0438 581 223

